



Medical Directive

Directive Number	<u>18-09</u>
Publish Date	<u>24 September 2018</u>
Effective Date	<u>01 October 2018</u>
Subject	<u>Modifications to MPDS Protocols 24 & 28 and MPDS Obvious Death Criteria</u>
Update to Clinical Operating Guidelines v 03.08.17	

Credentialed System Responder	Information
Credentialed EMT	Information
Credentialed EMT-Intermediate	Information
Credentialed EMT-Paramedic	Information
Credentialed EMD	Action

1. The following are approved high risk complications when using MPDS Protocol 24 Pregnancy / Childbirth / Miscarriage in the EMD environment.
 - a) Premature Birth (24-36 weeks)
 - b) Multiple birth (>24 weeks)
 - c) Bleeding Disorder
 - d) Blood Thinners
 - e) Cervical cerclage (stitch)
 - f) Placenta abruption
 - g) Placenta Previa
 - h) Female Genital Mutilation
 - i) Other (approved by Medical Director)
 - a. No Prenatal Care
 - b. Midwife Requests EMS

2. MPDS Protocol 28 now determines the Stroke Treatment Time Window (T) for MPD to coincide with local policy. Based on OMD direction, T = 24 hours in the EMD environment.

3. The following criteria have been determined by the OMD to be considered an 'Obvious Death' in the EMD environment.
 - a) Decapitation
 - b) Decomposition
 - c) Acceptable Decomposition Descriptions:
 - a. Gross discoloration (black, green, etc.)
 - b. Full body bloating
 - c. Skeletal remains
 - d. Rotting smell/odor (when accompanied by at least 1 above criteria)
 - d) Full Body Incineration
 - e) COLD and STIFF in a Warm Environment (>32F)
 - a. EMD may clarify if only 1 portion of cold and stiff criteria is provided.
 - f) Confirmed submersion greater than 2 hours

Thanks for all you do. Questions relating specifically to the COGs can be sent to cogs@austintexas.gov

Larry Arms, LP
Clinical Operations, Practices and Standards Coordinator
Office of the Medical Director, Austin - Travis County EMS System



Mark E. Escott, MD, MPH, FACEP, FAEMS, NRP
EMS System Medical Director
Office of the Medical Director
City of Austin/Travis County
ESV# 092418726